



JIDÉ

100% Made in Belgium

JIDÉ

WOOD


At JIDÉ, we have shared our passion for fire for more than 35 years. Creating the perfect flame that brings people together and makes them feel at home is our goal! Our built-in and inset fireplaces and wood-burning stoves are all 100% made in Belgium, from design to production at our factory in Herve. Each model harmoniously combines innovation and timeless design to meet the needs of each user. Experience the magic of fire with JIDÉ !





At JIDÉ, we constantly go for quality to offer you the best , thanks to a professional team of passionate people who are trained in the latest technologies.

At JIDÉ, one of our most important concerns is sustainable development. Thanks to the most advanced technologies used in our production, we can achieve high performance with significantly less wood, while at the same time optimally controlling emissions that are so harmful to our environment. All our appliances comply with the strictest European standards, and even exceed them. What's more, our local production significantly reduces our ecological footprint, all electricity in the factory is 100% green.



Flamme
VERTE

ECO DESIGN 2022





At JIDÉ, we work with professional distributors who share our passion for Quality. Our partners are not only competent, but like us, they continually go for excellence in their installations. For more information, visit our website at www.jide.be , dealers section.

Ecological combustion

Inserts without or with ventilation

Single side

PURE Compact (NEW)	8
PURE, PURE L ,PURE XL	8

Inserts with ventilation

Single, double sides and corner

CORNER	22
NORDIC PLUS	28

Built in woodfireplaces without or with ventilation

Single, double sided , see-through

LOFT	34
DÉCOR PLUS	40

Wood stove without ventilation

Single, double side

STAND-ART	44
MODUL-ART	48

Wood stove with ventilation

Single, double side, see-through

VENTIL-ART (NEW)	54
HOUSINGS	60

Custom Made

62

Outdoor

64

Technical information

72



Inserts with & without ventilation

PURE



Pure Compact...responds to all your senses naturally.

Pure...responds to all your senses.


Pure L and XL...maximally responds to all your senses.



Pure Compact 67 steel door





Pure Compact 67 steel door 

PURE 77/51
COMPACT

PURE 67/51
COMPACT

PURE 58/47
COMPACT

PURE 53/51
COMPACT

NEW

PURE 70/70

PURE 16/9

PURE 77/51

PURE 67/51

PURE 58/47

NEW

NEW

NEW

PURE 16/9XL

PURE 90L

PURE 77XL

PURE 67L




Pure Compact 58 steel door
Reverse door fitting






EVOLUTION





black concrete



Vermiculite interior





metal decor



EVOLUTION of the PURE range

1. Ch.Convection GALVA 4 Parts
2. Adjustable feet
3. 45° smoke outlet
4. Vertical smoke outlet
5. Concrete fire bed
6. Vermiculite interior / metal decor / black concrete
7. Air selector
8. New door closing system (2 positions)
9. New steel door
10. New Look door
11. Logo in the ember stop
12. 1st adjustable vermiculite baffle (3 positions)
13. 2nd fixed stainless steel baffle
14. New primary air management system
15. Door switch (ventilation stop)
16. Closable hot air nozzle (optional for ventilated units)

Combining ecology and economy, JIDÉ has created the Pure range which has 2 combustion air inlets. The primary air arrives under the grate and the stainless-steel canals to foster fire-lighting in the fireplace. The preheated secondary air creates post-combustion by reburning the gases, and this greatly improves the efficiency. The preheated tertiary air has a “turbo” effect, sweeping the glass from top to bottom to keep it clean and creates a sufficient supply to feed the fire without primary air. Ecological solution: cleaner emissions, less dust and CO Economic: greatly reduced wood consumption.



Configuration

Options


With ventilation



Steel door



x Interior vermiculite




Finishing Frames




Frame: 3 or 4 sides, width 40mm

Reverse door fitting




Reverse door fitting

Tubes of hot air



Smoke outlet



Right smoke outlet

OR

Without ventilation




OR

New Look door



OR


x Black concrete



Frame: thickness 10mm, prof. 55mm

OU / OF

x Deco metal




Frame: thickness 10mm, prof. 20mm




	PURE 53 COMPACT	PURE 58 COMPACT	PURE 67 COMPACT	PURE 77 COMPACT	PURE 58	PURE 67	PURE 77	PURE 70	PURE 16/9	PURE 67 L	PURE 90 L	PURE 77 XL	PURE 16/9XL
With ventilation	-	-	-	-	X	X	X	X	X	X	X	X	X
Without ventilation	X	X	X	X	-	-	-	X	X	X	X	X	X


PURE COMPACT






Dimensions
Vision of fire

 53/51 COMPACT


 58/47 COMPACT

 67/51 COMPACT











 77/51 COMPACT



OPTION: 130 ϕ




OPTION: 130 ϕ




PURE

Dimensions
Vision of fire





















PURE 58/47 

PURE 67/51 

PURE 77/51 

 PURE 70/70 

 PURE 16/9 




PURE L & XL


Dimensions
Vision of fire



L 67



















L 90



XL 77



XL 16/9









Woodbox custom made



CORNER

The Corner ...Elegant and fascinating from every angle





Corner 77 right





Corner 77 left 







Configuration


With ventilation



Interior vermiculite



Interior vermiculite painted black



Options


Finishing Frames

4 Côtés




Finishing frame: 4 sides, width 40mm

6 Côtés



Finishing frame: 6 sides, width 40mm

Tubes of hot air











CORNER

Dimensions
Vision of fire

CORNER RIGHT



CORNER LEFT



NORDIC PLUS



Nordic Plus...authenticity, robustness and efficiency



With ashtray





NORDIC PLUS
16/9

NORDIC PLUS
77/60

NORDIC PLUS
67/60

NORDIC PLUS
56/75



NORDIC 16/9 PLUS
DF/DK





Configuration

Options


With ventilation



New Look door



Interior vermiculite



Interior vermiculite painted black



Finishing Frames



Finishing frame: 3 ou 4 sides, width 40mm (replis 10mm)




Finishing frame: thickness 10mm, depth 55mm




Finishing frame: thickness 10mm, depth 20mm

Tubes of hot air



Reverse door fitting








Right hinge, left handle





NORDIC PLUS

Dimensions
Vision of fire





NORDIC PLUS 58/54 







NORDIC PLUS 67/60 







NORDIC PLUS 77/60 



NORDIC PLUS 16/9 







NORDIC PLUS 56/75 







NORDIC PLUS DOUBLE-SIDED

Dimensions
Vision of fire

NORDIC PLUS 77 DS



NORDIC PLUS 16/9 DS



Built-in fireplace with or without ventilation

LOFT



The ideal compromise between power and elegance!





Loft 56/75 New Look door 

LOFT 90/51

LOFT 77/51

LOFT 67/51

LOFT 56/75






Configuration


Without ventilation



New Look door



Interior vermiculite



Options

With ventilation



(550 m³/h)

Interior vermiculite painted black




Finishing Frames
















Frame: 4 sides, width 40mm

Tubes of hot air



LOFT

Dimensions
Vision of fire



Built-in fireplace double-sided

DÉCOR PLUS



Décor Plus, a double-sided fireplace for that perfect cosy atmosphere.



Decor plus 77/51 DF/DK New Look door



DECOR PLUS
16/9 DF/DK


DECOR PLUS
77 DF/DK

Configuration

Without ventilation



New Look door



x Interior vermiculite



With ventilation



550 m³/h

Interior vermiculite painted black




Options

Finishing Frames




Frame: 4 sides, width 40mm or 70mm

Reverse door fitting






Tubes of hot air






DECOR PLUS DOUBLE-SIDED

Dimensions
Vision of fire

DECOR PLUS 77 DS



DECOR PLUS 16/9 DS



STAND-ART



The small, economical wood stove that combines technology and performance



Stand-Art 53/51 steel door







Stand-Art
Suspension kit (dist. wall: 6.3cm)



Stand-Art



Stand-Art woodbox







Finishing kit (air intake cover)

STAND-ART

Dimensions
Vision of fire





STAND-ART 53/51

STAND-ART 53/51 woodbox



OPTION/OPTIE: Ø 130

OPTION/OPTIE: Ø 130



MODUL-ART



A wood-burning stove, adapted to your needs, with various installation options



Modul-Art 16/9 New Look door






Modul-Art 16/9 New Look door




Modul-Art
Suspension kit
(dist. wall: 6.3cm)



Modul-Art



Modul-Art
Woodbox



Available double sided

Configuration


Without ventilation




Steel door



New Look door




x Interior vermiculite




OR

x Interior black concrete




OR

x Deco metal



Options





Reverse door fitting







MODUL-ART

Dimensions
Vision of fire





MODUL-ART 58 








MODUL-ART 67 








MODUL-ART 77 







MODUL-ART 77XL 



MODUL-ART 16/9 







MODUL-ART 16/9XL 







MODUL-ART
woodbox

Dimensions
Vision of fire





MODUL-ART 58
woodbox







MODUL-ART 67
woodbox







MODUL-ART 77
woodbox



MODUL-ART 77XL
woodbox






MODUL-ART 16/9
woodbox






MODUL-ART DS

Dimensions
Vision of fire

MODUL-ART 77DS



MODUL-ART 77DS WOODBBOX



VENTIL-ART

Currently only available in 58 - 67 - 77 /



Ventil art ... the woodstove with ventilation.






Ventil-Art
Suspended
(+6.3cm)



Ventil-Art



Ventil-Art Woodbox



Configuration

With ventilation



Steel door




OR

New Look door




x Interior vermiculite




OR

x Black concrete




OR

x Deco metal



Options


Reverse door fitting




VENTIL-ART

Dimensions
Vision of fire


VENTIL-ART 58/47




VENTIL-ART 67/51



VENTIL-ART 77/51







VENTIL-ART 16/9







VENTIL-ART woodbox

Dimensions
Vision of fire





VENTIL-ART 58/47 woodbox







VENTIL-ART 67/51 woodbox



VENTIL-ART 77/51 woodbox



VENTIL-ART 16/9 woodbox



HOUSINGS



The steel housing turns the fireplace/insert into a stove.
Various options: single-sided or double-sided, with woodbox,
free-standing or suspended.
Guaranteed efficiency thanks to built-in fans.





Habillage / Bekleding 77 25mm DF/DK

Suspended Housing
(+6.3cm)




25 mm

Housing




25 mm

Housing Woodbox



25 mm



Available double sided
25 mm or 5mm

Configuration


With ventilation



New Look door




x Interior vermiculite



Interior vermiculite painted black





Reverse door fitting







HOUSING woodbox





Dimensions
Vision of fire





HOUSING 77



HOUSING 77 woodbox



HOUSING 16/9 & 16/9 woodbox




CUSTOM-MADE FRAMES AND APPLIANCES


Do you have limited space? Is your existing fireplace of a particular size? Is it impossible to fit a standard model? Or would you like something special in your interior? JIDÉ can make what you want custom-made.




Subject to validation by the manufacturer



+ X mm extra
Subject to validation by the manufacturer



+ X mm extra
Subject to validation by the manufacturer



Subject to validation by the manufacturer



BENCH

New at JIDÉ.

To optimise the Stand-Art, Modul-Art and Ventil-Art range, JIDE now offers

2 types of benches: with or without bottom.

Available in standard or customised sizes, with or without adjustable air inlet, they in and adapt easily to all interiors.













BENCH WITH BASE

AIR INTAKE IN THE BENCH DIRECT

AIR INTAKE IN THE BENCH ON/ OFF

DIMENSIONS - AIR INTAKE POSITION

Bench with base




BENCH WITHOUT BASE

CUSTOM MADE BENCH



DIMENSIONS

WITH OR WITHOUT BASE


Bottomless bench



Left bench



Right bench



- (C) STANDARD LENGTH 1490mm

- CUSTOM MADE LENGTH 1490mm: increase / decrease in length per 200mm

- LENGTH after modifications: 700mm MIN, 1990mm MAX

OUTDOOR

If you're in the mood for a good time at home, we'll give you an air of holiday with our barbecue or plancha. JIDÉ planchas and barbecues, with their sleek designs, will let you cook delicious meals in a convivial atmosphere.





BARBECUE EXCLUSIVE

Fire all year round with our built-in barbecue every day a feast.





PLANCHA

Enjoy tasty moments, around the plancha JIDÉ!





This built-in barbecue is available as a standard version, but we make all your dreams by delivering it in customised delivery. Barbecue or just enjoy a cosy fire, the choice is yours.

Option
Sparkscreen with liftgate

Fire basket argentine system

Grill

Ash pan

Option
Woodbox


* Option
Finishing frame




OUTDOOR

Dimensions
Vision of fire

PLANCHA



BARBECUE



	%- efficiency	Output range kW	smoke outlet	dimensions without frame	Hot air	double Baffle	Co ² -mg/Nm ³	COG mg/Nm ³	NOX-mg/Nm ³	smoke temperature	seasonal efficiency	fine particle emissions (mg/Nm ²)	weight	log length
PURE 53/51 Compact	77	5-7	150/option 130	53 x 51 x 33,6	125	x	1125	92	125	209	66,2	21		1x 33
PURE 58/47 Compact	77	6-8	150/option 130	58 x 47 x 37	125	x	1125	92	125	209	66,2	21		1 x 33
PURE 67/51 Compact	78	8-10	150	67 x 51 x 37	125	x	1125	91	38	293	67	15	83	1 x 50
PURE 77/51 Compact	77	9-11	150	77 x 51 x 37	125	x	1125	117	34	293	67	15	92	1 x 50
PURE 58/47	77	6-8	150/option 130	58 x 47 x 42	125	x	1250	117	34	279,2	66	39	69	1 x 33
PURE 67/51	78	8-10	150	67 x 51 x 42	125	x	1125	91	38	293	67	15	83	1 x 50
PURE 77/51	77	9-11	150	77 x 51 x 42	125	x	1125	117	34	293	67	15	92	1 x 50
PURE 70/70	78	9-11	180	70 x 70 x 47	125	x	1125	55	56	293	70	15	116	1 x 50
PURE 16/9	77	11-13	180	100 x 51 x 47	125	x	900	55	56	267,3	70	22	104	2 x 50
PURE L 67	78	8-10	150	67x 55 x 42,5	125	x	1125	112	75	293	66	15	92	1 x 50
PURE L90	77	10-12	180	90 x 55 x 45,5	125	x	900	59	57	267,3	67	22	114	2 x 33
PURE XL 77	77	11-13	180	77 x 60 x 5,5	125	x	900	115	71	267,3	66	22	118	2 x 30
PURE XL 16/9	81	12-14	200	100 x 60 x 47,5	125		1213	59	57	241,1	70	15	133	2 x 30
CORNER 77	80	10-12	180	77 x 51 x 45	125	x	1188	55	56	236,6	69	25	111	1 x 33

	%- efficiency	Output range kW	smoke outlet	dimensions without frame	Hot air	double Baffle	Co ² -mg/Nm ³	COG mg/Nm ³	NOX-mg/Nm ³	smoke temperature	seasonal efficiency	fine particle emissions (mg/ Nm ²)	weight	log length
NORDIC Plus 58/54	77	7-9	150	58 x 54 x 42	125		1238	43	53	286	66	37		1 x 30
NORDIC Plus 67/60	77	8-10	150	67 x 60 x 42	125		1238	43	53	286	66	37	113	1 x 30
NORDIC Plus 77/60	77	10-14	180	77 x 60 x 49	125		1238	43	53	286	66	37	101	2 x 30
NORDIC Plus 16/9	77	14-18	200	100 x 60 x 49	125		1238	43	53	286	66	37	122	2 x 30
NORDIC Plus 56/75	77	8-10	150	56 x 75 x 49	125		1238	43	53	286	66	37		1 x 30
NORDIC Plus 77/60 DF	77	15-19	200	77 x 60 x 57	150 x 4		1238	120	34	277	66	37		2 x 35
NORDIC Plus 16/9 DF	77	15-19	200	100 x 60 x 57	150 x 4		1238	120	34	277	66	37		2 x 35
LOFT 56/75	82	8-10	180	56 x 75 x 50	150 x 2	x	838	35	102	201,3	72	8		1 x 33
LOFT 67/51	82	8-10	150	67 x 51 x 50	150 x 2	x	838	35	102	201,3	72	8		1 x 33
LOFT 77/51	82	10-12	180	77 x 51 x 50	150 x 2	x	838	35	102	201,3	72	8		1 x 50
LOFT 90/51	87	9-13	180	90 x 51 x 50	150 x 2	x	1100	41	86	190,6	77	10	152	1 x 50
Decor Plus 77 DF	77	14-16	200	77x51x 50	150 x 4		1238	120	34	277	67	37		2 x 33
Decor Plus 16/9 DF	77	12-16	200	100 x 51x 59	150 x 4		1238	120	34	277	67	37		2 x 33

	%- efficiency	Output range kW	smoke outlet	dimensions without frame	Hot air	double Baffle	Co ₂ -mg/Nm ³	COG mg/Nm ³	NOX-mg/Nm ³	smoke temperature	seasonal efficiency	fine particle emissions (mg/Nm ²)	weight	log lenght
Stand-Art 53	77	5-7	150/option 130	54 x 88 x 35	125	x	1125	92	125	209	66,2	21		1 x 33
Stand-Art 58	77	6-8	150/option 130	59 x 88 x 35	125	x	1125	92	125	209	66,2	21		1 x 33
Modul-Art Compact 67	77	8-10	150	68 x 52,5 x 38		x	1125	117	34	293	68	15	116	1 x 50
Modul-Art Compact 77	77	9-11	150	78 x 52,5 x 38		x	1125	117	34	277	68	15	128	1 x 50
Modul-Art 67	77	8-10	150	68 x 52,5 x 43,5		x	1125	117	34	293	68	15	116	1 x 50
Modul-Art 77	77	9-11	150	78 x 52,5 x 43,5		x	1125	117	34	277	68	15	128	1 x 50
Modul-Art 16/9	81	11-13	180	101 x 52,5 x 48,5		x	900	55	56	267,3	67	22	157	2 x 30
Modul-Art 77XL	77	11-13	180	780 x 61,5 x 47		x	900	59	71	267,3	67	22	189	2 x 30
Modul-Art 16/9XL	77	11-13	200	101 x 61,5 x 48,5		x	1213	71	115	241,1	71	15	151	2 x 30
Modul-Art 77DF	77	12-16	200	780 x 57 x 58		x	1238	120	34	277	67	37	189	2 x 30
Modul-Art WB 67	77	8-10	150	68 x 97 x 43,5		x	1125	117	34	293	68	15	116	1 x 50
Modul-Art WB 77	77	9-11	150	78 x 97 x 43,5		x	1125	117	34	277	68	15	128	1 x 50
Modul-Art WB 16/9	81	11-13	180	101 x 97 x 48,5		x	900	55	56	267,3	61	15	157	1 x 50
Modul-Art WB 77XL	77	11-13	180	78 x 97 x 47		x	900	59	71	267,3	67	22	189	2 x 30
Modul-Art WB 77DF	77	12-16	200	78 x 97 x 58		x	1238	120	34	277	67	37	189	2 x 30

	%- efficiency	Output range kW	smoke outlet	dimensions without frame	Hot air	double Baffle	CO ₂ -mg/Nm ³	COG mg/Nm ³	NOX-mg/Nm ³	smoke temperature	seasonal efficiency	fine particle emissions (mg/ Nm ²)	weight	log lenght
Ventil-Art 58/47	77	6-8	150	59 x 48 x 44	125	x	1250	117	34	279,2	66	39	69	1 x 33
Ventil-Art 67/51	78	8-10	150	68 x 53 x 44	125	x	1125	91	38	293	67	15	83	1 x 50
Ventil-Art 77/51	77	9-11	150	78 x 53 x 44	125	x	1125	117	34	293	67	15	92	1 x 50
Ventil-Art 16/9	81	11-13	180	101 x 52,5 x 48,5		x	900	55	56	267,3	67	22	157	2 x 30
Ventil-Art 58/47 woodbox	77	6-8	150	59 x 89 x 44	125	x	1250	117	34	279,2	66	39	69	1 x 33
Ventil-Art 67/51 woodbox	78	8-10	150	68 x 97 x 44	125	x	1125	91	38	293	67	15	83	1 x 50
Ventil-Art 77/51 woodbox	77	9-11	150	78 x 97 x 44	125	x	1125	117	34	293	67	15	92	1 x 50
Ventil-Art 16/9 woodbox	81	11-13	180	101 x 97 x 48,5		x	900	55	56	267,3	61	15	157	1 x 50

JIDÉ S.A.

Rue des Meuneries 11
4650 Herve, BE

info@jide.be
www.jide.be



Publisher JIDÉ SA, 2024. All texts, illustrations and photos contained in this brochure correspond to the current state at the time of printing. JIDÉ SA cannot be held responsible for any errors or wrong information in this catalog. JIDÉ SA reserves the right to modify its products as part of technical development. Thank you for your understanding.

Design graphique par SU—F Studio.

Inspired by fire