

# HOUSINGS 5 MM SUSPENDED



Manual air regulation - Forced convection - Ecological combustion - Sealed decive

PURE - Housings 5 mm	Réf.	Ventil.	kW	
Suspended - Pure 67 – Steel door	HASM.PU67	with	8 - 10	A+
Suspended - Pure 67 - New look door	HASM.PU67	with	8 - 10	A+

Dimensions : L. 68 cm - H. 52 cm - P. 43,5 cm

## Options

Kit ventilation 1 x 750 m<sup>3</sup>/h with speed controller and airstat

Kit ventilation 2 x 140 m<sup>3</sup>/h with speed controller and airstat

Interior vermiculite painted black

## Caractéristiques

Steel / New look door - manual or full automatic - outside air intake possible Ø 100 mm - vermiculite baffle(s) - Sop embers - airstat  
2 centrifugal fans 140/m<sup>3</sup> - vermiculite interior - stainless steel nozzle for smoke outlet according to models - colour anthracite

NOTES :

.....

.....



# HOUSINGS 5 MM SUSPENDED



Manual air regulation - Forced convection - Ecological combustion - Sealed decive

PURE - Housings 5 mm	Réf.	Ventil.	kW	
Suspended - Pure 77 – Steel door	HASM.PU77	with	9 - 11	A+
Suspended - Pure 77 - New look door	HASM.PU77	with	9 - 11	A+

Dimensions : L. 78 cm - H. 52 cm - P. 43,5 cm

## Options

Kit ventilation 1 x 750 m<sup>3</sup>/h with speed controller and airstat

Kit ventilation 2 x 140 m<sup>3</sup>/h with speed controller and airstat

Interior vermiculite painted black

## Caractéristiques

Steel / New look door - manual or full automatic - outside air intake possible Ø 100 mm - vermiculite baffle(s) - Sop embers - airstat  
2 centrifugal fans 140/m<sup>3</sup> - vermiculite interior - stainless steel nozzle for smoke outlet according to models - colour anthracite

NOTES :

.....

.....



# HOUSINGS 5 MM SUSPENDED



Manual air regulation - Forced convection - Ecological combustion - Sealed device

PURE - Housings 5 mm	Réf.	Ventil.	kW	
Suspended - Pure 16/9 – Steel door	HASM.PU16/9	with	11 - 13	A+
Suspended - Pure 16/9 - New look door	HASM.PU16/9	with	11 - 13	A+

Dimensions : L. 101 cm - H. 52 cm - P. 48,5 cm

## Options

Kit ventilation 1 x 750 m<sup>3</sup>/h with speed controller and airstat

Kit ventilation 2 x 140 m<sup>3</sup>/h with speed controller and airstat

Interior vermiculite painted black

## Caractéristiques

Steel / New look door - manual or full automatic - outside air intake possible Ø 100 mm - vermiculite baffle(s) - Sop embers - airstat  
2 centrifugal fans 140/m<sup>3</sup> - vermiculite interior - stainless steel nozzle for smoke outlet according to models - colour anthracite

## NOTES :

.....

.....

