

# HOUSINGS 5 MM FREE STANDING



Pure 67 free standing (with ventilation) - Manual - Forced convection - Sealed device

Steel door (HA-EM5-PU77-M-A-AV)

New look door (HA-EM5-PU77-M-NL-AV)

Kw	efficiency %	CO (mg/Nm <sup>3</sup> )	COG (mg/Nm <sup>3</sup> )	Dust (mg/Nm <sup>3</sup> )	NOX (mg/Nm <sup>3</sup> )	el_max (kw)	el_min (kw)	el_sb (kw)
10	78	1125	96	15	90	0,052	0,037	0,001

## Options

Speed controller with airstat

Speed controller with thermostat ambient temperature

Black painted vermic. interior

## Included

Manual - outside air intake possible Ø 100 mm - vermiculite baffle(s) - Sop embers - airstat 2 centrifugal fans - vermiculite interior - stainless steel nozzle for smoke outlet according to models - colour anthracite

External dimensions (mm) - 780 x 970 x 435

## NOTES :



# HOUSINGS 5 MM FREE STANDING



Pure 16/9 free standing (with ventilation) - Manual - Forced convection - Sealed device

Steel door (HA-EM5-PU16-9-M-A-AV)

New look door (HA-EM5-PU16-9-M-NL-AV)

Kw	efficiency %	CO (mg/Nm <sup>3</sup> )	COG (mg/Nm <sup>3</sup> )	Dust (mg/Nm <sup>3</sup> )	NOX (mg/Nm <sup>3</sup> )	eI_max (kw)	eI_min (kw)	eI_sb (kw)
12	77	900	59	22	57	0,052	0,037	0,001

## Options

Speed controller with airstat

Speed controller with thermostat ambient temperature

Black painted vermic. interior

## Included

Manual - outside air intake possible Ø 100 mm - vermiculite baffle(s) - Sop embers - airstat 2 centrifugal fans - vermiculite interior - stainless steel nozzle for smoke outlet according to models - colour anthracite

External dimensions (mm) - 1010 x 970 x 485

## NOTES :



# HOUSINGS 5 MM FREE STANDING



Pure 67 free standing (with ventilation) - Manual - Forced convection - Sealed device

Steel door (HA-EM5-PU67-M-A-AV)

New look door (HA-EM5-PU67-M-NL-AV)

Kw	efficiency %	CO (mg/Nm <sup>3</sup> )	COG (mg/Nm <sup>3</sup> )	Dust (mg/Nm <sup>3</sup> )	NOX (mg/Nm <sup>3</sup> )	el_max (kw)	el_min (kw)	el_sb (kw)
10	78	1125	96	15	90	0,052	0,037	0,001

## Options

Speed controller with airstat

Speed controller with thermostat ambient temperature

Black painted vermic. interior

## Included

Manual - outside air intake possible Ø 100 mm - vermiculite baffle(s) - Sop embers - airstat 2 centrifugal fans - vermiculite interior - stainless steel nozzle for smoke outlet according to models - colour anthracite

External dimensions (mm) - 680 x 970 x 435

## NOTES :

.....

.....

