

# PURE XL77 MANUAL



PURE XL Manual - Ecological combustion - Sealed device

Steel door or New look - With ventilation	Réf.	Ventil.	kW	
Pure 77 manual - New look door - verm. - 77x60x45	PUXL77- M-NL-AV	with	12,9	A
Pure 77 manual - Steel door - verm. - 77x60x45	PUXL77- M-A-AV	with	12,9	A

Real view of fire - L 616 mm - H 404 mm

#### Option

Speed controller with remote control

Speed controller with thermostat

Interior vermiculite painted black

2 small folted tubes of hot air Ø 125 mm

Stop air (only in combination with hot air tubes(s))

Reserve door fitting

Finishing frames in 1 piece	External dimensions
3-sided frame - 40 mm flat 3 mm	842 x 637,5
4-sided frame - 40 mm flat 3 mm	842 x 671
4-sided frame étiré 10 mm depth 20 mm	780 x 610
4-sided frame étiré 10 mm depth 55 mm	780 x 610

#### Included

Steel/New look door - manual combustion air regulation - external air intake Ø 100 mm - double baffles ( vermiculite + inox)  
stop embers - 2 centrifugal fans - interior vermiculite - 45° angled stainless steel Ø 180 mm - nozzle for smoke outlet  
colour antracite - filters - WITHOUT FINISHING FRAME: optional





# PURE XL77



PURE Manual - Ecological combustion - Sealed device

Steel door or New look - Without ventilation	Réf.	Ventil.	kW	
Pure XL 77 manual - New look door - verm. - 77x60x45	PUXL77- M-NL-SV	without	12,2	A
Pure XL 77 manual - Steel door - verm. - 77x60x45	PUXL77- M-A-SV	without	12,2	A

Real view of fire - L 616 mm - H 404 mm

Option

Interior vermiculite painted black

Reserve door fitting

Finishing frames in 1 piece	External dimensions
3-sided frame - 40 mm flat 3 mm	842 x 637,5
4-sided frame - 40 mm flat 3 mm	842 x 671
4-sided frame étiré 10 mm depth 20 mm	780 x 610
4-sided frame étiré 10 mm depth 55 mm	780 x 610

Included

Steel/New look door - manual combustion air regulation - external air intake Ø 100 mm - double baffles ( vermiculite + inox) stop embers - without ventilation - interior vermiculite - 45° angled stainless steel Ø 180 mm - nozzle for smoke outlet - colour antracite  
2 warm air tubes Ø 125 mm - WITHOUT FINISHING FRAME: optional



